TIP TOP Oberflaechenschutz Elbe GmbH

Revision date: 15.04.2013 Revision No: 1,00



00359-1157



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TIP TOP CHEMOKITT UP Inhibitor 1

Art.-No. 591 0107

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Auxiliary agent

1.3. Details of the supplier of the safety data sheet

TIP TOP Oberflaechenschutz Elbe GmbH

Heuweg 4

D-06886 Wittenberg

Telephone: +49(0)3491/635-50Telefax: +49(0)3491/635-552Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone :+49 (0) 6132 / 84463 (GBK Gefahrgut Buero GmbH,

number: Ingelheim)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: C - Corrosive, N - Dangerous for the environment

R phrases: Causes burns.

May cause sensitisation by skin contact.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

GHS classification

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory/skin sensitization: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Pictograms:









Signal word:

Danger

Hazardous components which must be listed on the label

4-tert-butylpyrocatechol

Hazard statements

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe vapour.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

Print date: 15.04.2013 GB - EN Page 1 of 7

TIP TOP Oberflaechenschutz Elbe GmbH

Revision date: 15.04.2013 Revision No: 1,00



00359-1157

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P273 Avoid release to the environment.

2.3. Other hazards

Not known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of the following substances with non-hazardous admixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
202-653-9	4-tert-butylpyrocatechol	7 - 13 %
98-29-3	C - Corrosive, Xn - Harmful, N - Dangerous for the environment R21/22-34-43-50-53	
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H312 H302 H314 H317 H400 H410	
01-2119548368-28		

Full text of R and H phrases: see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

Call a physician immediately.

After inhalation

Move to fresh air in case of accidental inhalation of vapours.

If patient is not breathing, apply artificial respiration.

Call a physician immediately.

After contact with skin

In case of contact with skin wash off immediately with plenty of water.

Seek medical treatment immediately.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical treatment by eye specialist.

After ingestion

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Never give anything by mouth to an unconscious person.

Summon a doctor immediately.

Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage

May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

Print date: 15.04.2013 GB - EN Page 2 of 7




TIP TOP Oberflaechenschutz Elbe GmbH

Revision date: 15.04.2013 Revision No: 1,00



00359-1157



Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide and carbon dioxide.

5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.

Ensure adequate ventilation.

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Clean contaminated surface thoroughly.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal look up chapter 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.

Handle and open container with care.

Handle in accordance with good industrial hygiene and safety practice.

Use only in thoroughly ventilated areas.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Advice on storage compatibility

Incompatible with:

Strong oxidizing agents

Strong acids and strong bases.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Auxiliary agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Occupational exposure controls

Ensure adequate ventilation, especially in confined areas.




TIP TOP Oberflaechenschutz Elbe GmbH

Revision date: 15.04.2013 Revision No: 1,00



00359-1157



Wash hands before breaks and immediately after handling the product.

When using, do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothes before re-use.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A).

Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: http://bestglove.com/site/chemrest/

Eye protection

Tightly fitting goggles.

Eye wash bottle with pure water.

Skin protection

Long sleeved clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: clear
Odour: Soft

pH-Value: Neutral

Changes in the physical state

Melting point: $-30\,^{\circ}\mathrm{C}$ Flash point: $>100\,^{\circ}\mathrm{C}$ Lower explosion limits: $\mathrm{n.d.}$

Upper explosion limits:

Ignition temperature: n.d. Vapour pressure: n.d.

(at 20 °C)

Density (at 25 °C): 0,945 g/cm³
Water solubility: Miscible
Viscosity / dynamic: 10,4 mPa·s

(at 20 °C)

9.2. Other information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

oxidizing agents

Print date: 15.04.2013 GB - EN Page 4 of 7



TIP TOP Oberflaechenschutz Elbe GmbH

Revision date: 15.04.2013 Revision No: 1,00



00359-1157

Acids and bases.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

4-tert-butylpyrocatechol LD50/oral/rat: 815 mg/kg LD50/dermal/rat: 1331 mg/kg LC50/inhalation: No data available.

Irritation and corrosivity

Causes severe skin burns and eye damage

Sensitising effects

May cause an allergic skin reaction.

Severe effects after repeated or prolonged exposure

STOT - Single exposure: Not classified. STOT - Repeated exposure: Not classified.

Aspiration hazard: Not classified.

Carcinogenic/mutagenic/toxic effects for reproduction

Carcinogenicity: Not classified. Mutagenicity: Not classified. Teratogenicity: Not classified.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

Toxic to aquatic life with long lasting effects.

4-tert-butylpyrocatechol

LC50/Brachydanio rerio/96 h = 0,12 mg/l

EC50/Daphnia magna/48 h = 0,48 mg/l

EC50/Pseudokirchneriela subcapitata/72 h = 10,17 mg/l

EC50/Activated sludge = 16 mg/l

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Severe hazard to waters

Further information

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.



TIP TOP Oberflaechenschutz Elbe GmbH

Revision date: 15.04.2013 Revision No: 1.00



00359-1157



080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances

Classified as hazardous waste.

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

UN1760 14.1. UN number:

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (4-tert-butylpyrocatechol)

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 8



Classification code: C9

1 L / 30 kg Limited quantity:

Transport category: 2 Hazard No: 80 Ε Tunnel restriction code:

Inland waterways transport (ADN)

UN1760 14.1. UN number:

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (4-tert-butylpyrocatechol)

14.3. Transport hazard class(es): Ш 14.4. Packing group:

Hazard label:



Classification code:

Limited quantity: 1 L / 30 kg

Marine transport (IMDG)

UN1760 14.1. UN number:

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (4-tert-butylpyrocatechol)

8 14.3. Transport hazard class(es): 14.4. Packing group: Ш 8 Hazard label:




1 L / 30 kg Limited quantity: F-A, S-B EmS:

Air transport (ICAO)

UN/ID number: UN1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (4-tert-butylpyrocatechol)

14.3. Transport hazard class(es): 8 14.4. Packing group: Ш Hazard label: 8





TIP TOP Oberflaechenschutz Elbe GmbH

Revision date: 15.04.2013 Revision No: 1,00



00359-1157





Limited quantity Passenger: Y840 / 0.5 L

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

Dangerous for the environment: yes



14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): 0 %

National regulatory information

Employment restrictions: Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Full text of R phrases referred to under Sections 2 and 3

21/22 Harmful in contact with skin and if swallowed.

34 Causes burns.

43 May cause sensitisation by skin contact.

Very toxic to aquatic organisms.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

May cause long-term adverse effects in the aquatic environment.

Full text of H statements referred to under Sections 2 and 3

H302 Harmful if swallowed.H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)