REMATIP TOP AG

Revision date: 01.04.2014

REMAXX LUBRICANT-SE

00156-0071



SECTION 1: Identification of the substance/mixture and of the company/undertaking

Revision No: 2,0

1.1. Product identifier

REMAXX LUBRICANT-SE

Art.-No.

593 0388, 593 5620

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Agent to fit on tyres

1.3. Details of the supplier of the safety data sheet

REMATIP TOP AG Company name: Street: Gruber Strasse 63 Place: D-85586 Poina Telephone +49 (0) 8121 / 707 - 0 Verantwortlich für das Sicherheitsdatenblatt: sds@gbk-ingelheim.de

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a) 1.4. Emergency telephone number:

England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24

24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: Xi - Irritant

R phrases: Irritating to skin.

Risk of serious damage to eyes.

GHS classification

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements: Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Hazardous components which must be listed on the label

Sodium alkylbenzenesulfonates

Alcohols, C12-16, ethoxylated, sulfates, sodium salts

Alcohol ethoxylate

Amides, coco - N,N-bis(hydroxyethyl)

Signal word: Danger GHS05 Pictograms:



Hazard statements

H315 Causes skin irritation.

H318 Causes serious eve damage.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection. P280

IF ON SKIN: Wash with plenty of water. P302+P352

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

REMATIP TOP AG

Revision date: 01.04.2014

REMAXX LUBRICANT-SE

Revision No: 2,0



00156-0071

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Not known.

Chemical characterization

Aqueous cleansing agent with surfactants

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
270-115-0	Sodium alkylbenzenesulfonates	< 15 %
68411-30-3	Xi - Irritant R38-41	
	Skin Irrit. 2, Eye Dam. 1; H315 H318	
01-2119489428-22		
500-234-8	Alcohols, C12-16, ethoxylated, sulfates, sodium salts	< 5 %
68891-38-3	Xi - Irritant R38-41	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412	
01-2119488639-16		
500-046-6	Alcohol ethoxylate	< 5 %
26183-52-8	Xi - Irritant R41	
	Eye Dam. 1; H318	
271-657-0	Amides, coco - N,N-bis(hydroxyethyl)	< 5 %
68603-42-9	Xi - Irritant R38-41	
	Skin Irrit. 2, Eye Dam. 1; H315 H318	
	Alcohol ethoxylate	< 5 %
97043-91-9	Xn - Harmful, Xi - Irritant R22-41	
	Acute Tox. 4, Eye Dam. 1; H302 H318	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

If you feel unwell, seek medical advice.

After contact with skin

Wash off with soap and plenty of water.

Consult a doctor if skin irritation persists.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical treatment by eye specialist.

After ingestion

Do not provoke vomiting. Consult physician. Attention in case of vomiting - acute danger of suffocating, produced by foaming ingredients. Rinse mouth. Make drink some glasses of water. The decision whether to provoke vomiting is to be taken by a physician.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

REMATIP TOP AG

Revision date: 01.04.2014

Revision No: 2,0



REMAXX LUBRICANT-SE

00156-0071

Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide, carbon dioxide, sulphur oxides and nitrogen oxides (NOx).

5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Attention. Hazard of skidding.

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Advice on storage compatibility

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Agent to fit on tyres

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Print date: 21.10.2014 GB - EN Page 3 of 7

REMATIP TOP AG


Revision date: 01.04.2014

REMAXX LUBRICANT-SE

Revision No: 2,0



00156-0071



Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing.

Avoid contact with skin, eyes and clothing.

Eye/face protection

Safety goggles with side protection (EN 166). Eye wash bottle with pure water (EN 15154).

Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, minimum coat thickness 0.6 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (EN 368).

Respiratory protection

No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: White
Odour: Soapy

pH-Value: 7 - 8 (5 %)
Initial boiling point and boiling range: approx. 100 °C

Flash point: n.a. Lower explosion limits: n.a.

Upper explosion limits:

Vapour pressure: 23 hPa
Density (at 20 °C): 1,04 g/cm³

Water solubility: Completely miscible

(at 15 °C)

Ignition temperature: n.a.

Viscosity / dynamic: 2200 mPa·s

(at 20 °C)

9.2. Other information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

Not known.





REMATIP TOP AG

Revision date: 01.04.2014

REMAXX LUBRICANT-SE

Revision No: 2.0



00156-0071

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide, carbon dioxide, sulphur oxides, and nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

No toxicological data available.

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Watch out. Beware, hazard of foam aspiration.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Hazardous water pollutant.

Further information

This concentrate is not allowed to be released into the sewerage, surface water or groundwater.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Where possible recycling is preferred to disposal.

Can be landfilled or incinerated, when in compliance with local regulations.

REMATIP TOP AG

Revision date: 01.04.2014

Revision No: 2,0

REMAXX LUBRICANT-SE

00156-0071



070699

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps,

detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO); Inland waterways transport (ADN)

14.1. UN number:

No hazardous material as defined by the transport regulations.

14.2. UN proper shipping name:

No hazardous material as defined by the transport regulations.

14.3. Transport hazard class(es):

No hazardous material as defined by the transport regulations.

14.4. Packing group:

No hazardous material as defined by the transport regulations.

14.5. Environmental hazards

No hazardous material as defined by the transport regulations.

14.6. Special precautions for user

No hazardous material as defined by the transport regulations.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No hazardous material as defined by the transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC):

0 %

National regulatory information

Employment restrictions:

Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Print date: 21.10.2014 GB - EN Page 6 of 7



REMATIP TOP AG

Revision date: 01.04.2014 Revision No: 2,0

REMAXX LUBRICANT-SE

00156-0071



Relevant R-phrases (Number and full text)

Harmful if swallowed.Irritating to skin.

41 Risk of serious damage to eyes.

Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)