REMATIP TOP AG

Revision date: 01.04.2014

Revision No: 2,0

**REMAXX WAX H** 00156-0062



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

REMAXX WAX H

Art.-No.

593 0553, 593 1507, 593 1569

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Paste to fit on tyres

## 1.3. Details of the supplier of the safety data sheet

Company name: REMA TIP TOP AG
Street: Gruber Strasse 63
Place: D-85586 Poing
Telephone +49 (0) 8121 / 707 - 0

Verantwortlich für das Sicherheitsdatenblatt: sds@gbk-ingelheim.de

**1.4. Emergency telephone** INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

number: England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24

24

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

This mixture is not classified as hazardous according to Directive 1999/45/EC.

# **GHS** classification

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

# 2.2. Label elements

# Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

# 2.3. Other hazards

Not known.

# \_\_\_\_\_\_

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# Chemical characterization

Soap-like preparation without silicone oils or mineral oils

## **Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
203-872-2	2,2' -Oxybisethanol	< 10 %
111-46-6	Xn - Harmful R22	
603-140-00-6	Acute Tox. 4, STOT RE 2; H302 H373	
01-2119457857-21		

Full text of R and H phrases: see Section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately.

In the event of persistent symptoms receive medical treatment.

REMATIP TOP AG

Revision date: 01.04.2014

**REMAXX WAX H** 00156-0062



#### After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

Revision No: 2.0

#### After contact with skin

Wash off with soap and plenty of water.

## After contact with eyes

Rinse immediately with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

#### After ingestion

Allow the affected person to vomit themselve, if necessary.

If a person vomits when lying on his back, turn over on his side.

Consult a physician.

Induce vomiting only upon the advice of a physician.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation of vapours may cause mild irritation to the mucous membrane.

Repeated or prolonged exposure may cause irritation of eyes and skin.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

Sand

# Unsuitable extinguishing media

Full water jet.

# 5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide and carbon dioxide

## 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

## Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.

Ensure adequate ventilation.

Use personal protective clothing.

## 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

# 6.3. Methods and material for containment and cleaning up

Clean with detergents. Avoid solvents.

Shovel into suitable container for disposal.

## 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Keep container tightly closed.

Avoid contact with the skin and the eyes.

REMATIP TOP AG

Revision date: 01.04.2014

Revision No: 2,0





# Advice on protection against fire and explosion

No special protective measures against fire required.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

## Advice on storage compatibility

Incompatible with strong acids and oxidizing agents.

## Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

# 7.3. Specific end use(s)

Paste to fit on tyres

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-46-6	2,2'-Oxydiethanol	23	101		TWA (8 h)	WEL
İ		-	-		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

# 8.2. Exposure controls

# Protective and hygiene measures

Avoid contact with eyes and skin.

Wash hands before breaks and at the end of workday.

When using, do not eat, drink or smoke.

# Eye/face protection

Safety goggles with side protection (EN 166).

# Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, minimum coat thickness 0.6 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

#### Skin protection

Long sleeved clothing (EN 368).

# Respiratory protection

No personal respiratory protective equipment normally required.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: pasty
Colour: Red
Odour: Mild
pH-Value: 10,5
Melting point: 50 - 55 °C
Flash point: n.d.

Lower explosion limits:

Density (at 20 °C):

1 g/cm³

REMATIP TOP AG

Revision date: 01.04.2014

**REMAXX WAX H** 00156-0062

Revision No: 2.0



Water solubility: Completely miscible

(at 20 °C)

Ignition temperature: n d

# 9.2. Other information

No data available.

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No decomposition if stored and applied as directed.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Reactions with acids and strong oxidizing agents.

## 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Heating can release vapours which can be ignited.

## 10.5. Incompatible materials

Strong acids and oxidizing agents.

#### 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.

No toxicological data available.

Ethane-1,2-diol

LD50/oral/rat: 5840 mg/kg LD50/dermal/rabbit: 9530 mg/kg LC50/inhalation/rat: 50100 mg/m³/8 h LDLo/oral/Human: 398 mg/kg

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

# Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

# **Practical experience**

## Other observations

Inhalation of vapours may cause mild irritation to the mucous membrane.

Repeated or prolonged exposure may cause irritation of eyes and skin.

Liver and renal damage is possible.

Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

REMATIP TOP AG

Revision date: 01.04.2014

Revision No: 2.0

**REMAXX WAX H** 00156-0062



# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecological data are not available.

Ethane-1,2-diol

LC50/Oncorhynchus mykiss/96 h = 40761 mg/l

EC50/Daphnia magna/48 h = 41100 mg/l

# 12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance

#### 12.6. Other adverse effects

Hazardous water pollutant.

#### **Further information**

Do not flush into surface water or sanitary sewer system.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## Advice on disposal

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

# Waste disposal number of waste from residues/unused products

070699

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps,

detergents, disinfectants and cosmetics; wastes not otherwise specified

**Contaminated packaging**Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

# **SECTION 14: Transport information**

# Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO); Inland waterways transport (ADN)

#### 14.1. UN number:

No hazardous material as defined by the transport regulations.

# 14.2. UN proper shipping name:

No hazardous material as defined by the transport regulations.

# 14.3. Transport hazard class(es):

No hazardous material as defined by the transport regulations.

# 14.4. Packing group:

No hazardous material as defined by the transport regulations.

## 14.5. Environmental hazards

No hazardous material as defined by the transport regulations.

# 14.6. Special precautions for user

No hazardous material as defined by the transport regulations.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No hazardous material as defined by the transport regulations.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

REMATIP TOP AG

Revision date: 01.04.2014

Revision No: 2.0

**REMAXX WAX H** 00156-0062



1999/13/EC (VOC):

< 5 %

## **National regulatory information**

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

# Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC = Code International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

# Full text of R phrases referred to under Sections 2 and 3

22 Harmful if swallowed.

## Full text of H statements referred to under Sections 2 and 3

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

#### **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)